

Mohave Valley Fire Department Operational Permit

Blasting/Explosives

Fireworks Display
(attach site map)

Cutting/Welding/Hot Works

Fireworks Sales
(attach drawing of area)

Hazardous Materials

Permit Location: _____

Company: _____

Name: _____

Address: _____

Phone #: _____ Local Phone #: _____

Fax #: _____ E-Mail Address: _____

Permit Dates: From _____ to _____

Detailed Explanation: _____

Applicant Signature: _____ Date: _____

Permit Fee: \$_____ Date Paid: _____ Initials: _____

Approved: _____ Date: _____

Inspector

Temporary Consumer Fireworks Retail Sales (CFRS) Facilities

Minimum Separation Distances

	Buildings	Combustibles	Tents	Vehicle Parking	Stands	Storage of Consumer Fireworks
Tents	20 feet	20 feet	20 feet	10 feet	20 feet	20 feet
Stands	20 feet	10 feet	20 feet	10 feet	5 feet **	20 feet

** Where stands are separated from each other by less than 20 feet, the aggregate area of such stands shall not exceed 800 square feet.

Other Requirements

- * The area located within 30 feet of a CFRS facility shall be kept free of accumulated dry grass, dry brush, and combustible debris.
- * Portable generators and their fuels shall be located not less than 20 feet from the CFRS facility. Fuel capacity must not exceed 2 gallons.
- * Cooking equipment of any type shall not be permitted within 20 feet of the CFRS facility.
- * Open flame cooking equipment of any type shall not be allowed within 50 feet of the CFRS facility.
- * At least one fire extinguisher with the minimum rating of 4A80BC shall be required in the sales area. Additional extinguishers may be required depending upon the size of the sales area.
- * Smoking shall not be permitted within 50 feet of the CFRS area.
- * Signs that read “Fireworks – No Smoking” shall be conspicuously posted throughout the CFRS area. The letters shall be a minimum of 2 inches in height and shall contrast with their background.
- * CFRS facilities cannot be closer than 50 feet to:
 1. Retail propane – dispensing station dispensers
 2. Above ground storage tanks for flammable or combustible liquids, flammable gas, or flammable liquefied gas
 3. Compressed natural gas dispensing station dispensers
- * Fireworks shall not be ignited, discharged, or otherwise used within 300 feet of a CFRS facility.
- * Any loose pyrotechnic composition shall be removed immediately.
- * All initial inspections of CFRS facilities shall be conducted a minimum of one day prior to the opening of the site. There shall be no sales without an initial inspection by
 - a Mohave Valley Fire Department Fire Inspector.
- * Fireworks shall not be sold or dispensed by any person under the age of 16 years. An adult shall be present during all hours of operation.
- * Fireworks shall not be sold or dispensed to any person under the age of 16 years.